

Journal articles

- [1] E. A. Ainsbury, D. Samaga, S. Della Monaca, M. Maurizio, C. Bassinet, C. I. Burbidge, V. Correcher, M. Discher, J. Eakins, P. Fattibene, I. Guclu, M. Higuera, E. Lund, N. Maltar-Strmecki, S. McKeever, C. L. Raaf, S. Sholom, I. Veronese, A. Wieser, C. Woda, and C. F. Trompier, "Uncertainty on Radiation Doses Estimated by Biological and Retrospective Physical Methods", *Radiation Protection Dosimetry*, article vol. 178, no. 4, pp. 382-404, 2018.
- [2] M. Alodeh, D. Spano, A. Kalantari, C. G. Tsinos, D. Christopoulos, S. Chatzinotas, and B. Ottersten, "Symbol-Level and Multicast Precoding for Multiuser Multiantenna Downlink: A State-of-the-Art, Classification, and Challenges," *IEEE Communications Surveys and Tutorials*, article vol. 20, no. 3, pp. 1733-1757, 2018.
- [3] P. Boström-Rost, D. Axehill, and G. Hendeby, "On Global Optimization for Informative Path Planning," *IEEE Control Systems Letters*, Letter vol. 2, no. 4, pp. 833-838, 2018.
- [4] P. Chandhar, D. Danev, and E. G. Larsson, "Massive MIMO for Communications With Drone Swarms," *IEEE Transactions on Wireless Communications*, article vol. 17, no. 3, pp. 1604-1629, 2018.
- [5] Z. Chen, E. Björnson, and E. G. Larsson, "When Is the Achievable Rate Region Convex in Two-User Massive MIMO Systems?," *IEEE Wireless Communications Letters*, article vol. 7, no. 5, pp. 796-799, 2018.
- [6] R. Chopra, C. R. Murthy, H. A. Suraweera, and E. G. Larsson, "Performance Analysis of FDD Massive MIMO Systems Under Channel Aging," *IEEE Transactions on Wireless Communications*, article vol. 17, no. 2, pp. 1094-1108, 2018.
- [7] M. Danelljan, G. Bhat, S. Gladh, F. S. Khan, and M. Felsberg, "Deep motion and appearance cues for visual tracking," *Pattern Recognition Letters*, 2018.
- [8] J. Flordelis, F. Rusek, F. Tufvesson, E. G. Larsson, and O. Edfors, "Massive MIMO Performance-TDD Versus FDD: What Do Measurements Say?," *IEEE Transactions on Wireless Communications*, article vol. 17, no. 4, pp. 2247-2261, 2018.
- [9] K. Fors, K. Wiklundh and P. Stenumgaard "On the mismatch of emission requirements for CW interference against OFDM systems," *IEEE Transactions on Electromagnetic Compatibility*, vol 60, Issue: 5, Oct, 2018.
- [10] M. Gryszel, A. Markov, M. Vagin, and E. Glowacki, "Organic heterojunction photocathodes for optimized photoelectrochemical hydrogen peroxide production," *Journal of Materials Chemistry A*, article vol. 6, no. 48, pp. 24709-24716, 2018.

- [11] A. Hammar, P. J. Sobis, V. Drakinskiy, A. Emrich, N. Wadefalk, J. Schlee, and J. Stake, "Low noise 874 GHz receivers for the International Submillimetre Airborne Radiometer (ISMAR)", *Rev. Sci. Instrum.*, vol. 89, no. 5, p. 055104, 2018. Doi: 10.1063/1.5017583
- [12] F. J. C. Haverkamp, H. Veen, R. Hoencamp, M. Muhrbeck, J. von Schreeb, A. Wladis and E. C. T. H. Tan, "Prepared for Mission? A Survey of Medical Personnel Training Needs Within the International Committee of the Red Cross," *World Journal of Surgery*, article vol. 42, no. 11, pp. 3493-3500, 2018.
- [13] L. Karlsson, S. Nilsson, M. Bång, L. Nilsson, E. Charitakis, and M. Janzon, "A clinical decision support tool for improving adherence to guidelines on anticoagulant therapy in patients with atrial fibrillation at risk of stroke : A cluster-randomized trial in a Swedish primary care setting (the CDS-AF study)," *PLoS Medicine*, article vol. 15, no. 3, 2018, Art. no. e1002528.
- [14] M. Karlsson, E. Björnson, and E. G. Larsson, "Performance of In-Band Transmission of System Information in Massive MIMO Systems," *IEEE Transactions on Wireless Communications*, article vol. 17, no. 3, pp. 1700-1712, 2018.
- [15] A. Khaldi, D. Falk, K. Bengtsson, A. Maziz, D. Filippini, Daniel, N. D. Robinson, and E. Jager, "Patterning highly conducting conjugated polymer electrodes for soft and flexible microelectrochemical devices," *ACS Applied Materials and Interfaces*, article vol. 10, no. 17, pp. 14978-14985, 2018.
- [16] F. Khan, J. van de Weijer, R. Muhammad Anwer, A. D. Bagdanov, M. Felsberg, and J. Laaksonen, "Scale coding bag of deep features for human attribute and action recognition," *Machine Vision and Applications*, article vol. 29, no. 1, pp. 55-71, 2018.
- [17] M. Lampi, J. Junker, J. S. Tabu, P. Berggren, C.-O. Jonson, and A. Wladis, "Potential benefits of triage for the trauma patient in a Kenyan emergency department," *BMC Emergency Medicine*, article vol. 18, no. 49, pp. 1-7, 2018.
- [18] E. G. Larsson, T. L. Marzetta, H. Q. Ngo, and H. Yang, "Antenna Count for Massive MIMO: 1.9 GHz vs. 60 GHz," *IEEE Communications Magazine*, article vol. 56, no. 9, pp. 132-137, 2018.
- [19] E. G. Larsson and L. Van der Perre, "Out-of-Band Radiation From Antenna Arrays Clarified," *IEEE Wireless Communications Letters*, article vol. 7, no. 4, pp. 610-613, 2018.
- [20] L. Liu, E. G. Larsson, W. Yu, P. Popovski, C. Stefanovic, and E. de Carvalho, "Sparse Signal Processing for Grant-Free Massive Connectivity A future paradigm for random access protocols in the Internet of Things," *IEEE signal processing magazine (Print)*, article vol. 35, no. 5, pp. 88-99, 2018.
- [21] Y. Liu, A. Turner, M. Zhao, and W. C. Mak, "Processable enzyme-hybrid conductive polymer composites for electrochemical biosensing," *Biosensors & bioelectronics*, article vol. 100, pp. 374-381, 2018.

- [22] Y. Liu, A. Turner, M. Zhao, and M. Wing Cheung, "Facile synthesis of highly processable and water dispersible polypyrrole and poly(3,4-ethylenedioxythiophene) microspheres for enhanced supercapacitive performance," *European Polymer Journal*, article vol. 99, pp. 332-339, 2018.
- [23] L. Meng, A. Turner, and W. C. Mak, "Positively-charged hierarchical PEDOT interface with enhanced electrode kinetics for NADH-based biosensors," *Biosensors & bioelectronics*, article vol. 120, pp. 115-121, 2018.
- [24] E. Mitraka, M. Gryszel, M. Vagin, M. Javad Jafari, A. Singh, M. Warczak, M. Mitrakas, M. Berggren, T. Ederth, I. Zozoulenko, X. Crispin and E. D. Głowacki, "Electrocatalytic production of hydrogen peroxide with poly(3,4-ethylenedioxythiophene) electrodes", *Advanced Sustainable Systems*, 3(2), 1800110, 2018
- [25] C. Mollén, U. Gustavsson, T. Eriksson, and E. G. Larsson, "Spatial Characteristics of Distortion Radiated From Antenna Arrays With Transceiver Nonlinearities," *IEEE Transactions on Wireless Communications*, article vol. 17, no. 10, pp. 6663-6679, 2018.
- [26] C. Mollén, E. G. Larsson, U. Gustavsson, T. Eriksson, and R. W. Heath, Jr., "Out-of-Band Radiation from Large Antenna Arrays," *IEEE Communications Magazine*, article vol. 56, no. 4, pp. 196-203, 2018.
- [27] H. Q. Ngo, L.-N. Tran, T. Q. Duong, M. Matthaiou, and E. G. Larsson, "On the Total Energy Efficiency of Cell-Free Massive MIMO," *IEEE Transactions on Green Communications and Networking*, article vol. 2, no. 1, pp. 25-39, 2018.
- [28] H. Nurminen, T. Ardeshiri, R. Piche, and F. Gustafsson, "Skew-t Filter and Smoother With Improved Covariance Matrix Approximation," *IEEE Transactions on Signal Processing*, article vol. 66, no. 21, pp. 5618-5633, 2018.
- [29] S. Pilemalm, "Participatory Design in Emerging Civic Engagement Initiatives in the New Public Sector : Applying PD Concepts in Resource-Scarce Organizations," *ACM Transactions on Computer-Human Interaction*, article vol. 25, no. 1, pp. 5:1-5:26, 2018.
- [30] E. Prytz, C. Norén, and C.-O. Jonson, "Fixation Differences in Visual Search of Accident Scenes by Novices and Expert Emergency Responders," *Human Factors*, article vol. 60, no. 8, pp. 1219-1227, 2018.
- [31] R. Ravichandran, J. G. Martinez Gil, E. Jager, J. Phopase, and A. Turner, "Type I Collagen-Derived Injectable Conductive Hydrogel Scaffolds as Glucose Sensors," *ACS Applied Materials and Interfaces*, article vol. 10, no. 19, pp. 16244-16249, 2018.
- [32] B. Rezaei, A. M. Shoushtari, M. Rabiee, L. Uzun, A. Turner, and W. C. Mak, "Electrochemical performance of nanofibrous highly flexible electrodes enhanced by different structural configurations," *Composites Science And Technology*, article vol. 155, pp. 81-90, 2018.

- [33] B. Rezaei, A. M. Shoushtari, M. Rabiee, L. Uzun, A. Turner, and W. C. Mak, "Multifactorial modeling and optimization of solution and electrospinning parameters to generate superfine polystyrene nanofibers," *Advances in Polymer Technology*, article vol. 37, no. 8, pp. 2743-2755, 2018.
- [34] M. Sadeghi, E. Björnson, E. G. Larsson, C. Yuen, and T. L. Marzetta, "Joint Unicast and Multi-group Multicast Transmission in Massive MIMO Systems," *IEEE Transactions on Wireless Communications*, article vol. 17, no. 10, pp. 6375-6388, 2018.
- [35] M. Sadeghi, E. Björnson, E. G. Larsson, C. Yuen, and T. L. Marzetta, "Max-Min Fair Transmit Precoding for Multi-Group Multicasting in Massive MIMO," *IEEE Transactions on Wireless Communications*, article vol. 17, no. 2, pp. 1358-1373, 2018.
- [36] M. F. Santangelo, S. Libertino, A. Turner, D. Filippini, and W. C. Mak, "Integrating printed microfluidics with silicon photomultipliers for miniaturised and highly sensitive ATP bioluminescence detection," *Biosensors & bioelectronics*, article vol. 99, pp. 464-470, 2018.
- [37] K. Senel and E. G. Larsson, "Grant-Free Massive MTC-Enabled Massive MIMO: A Compressive Sensing Approach," *IEEE Transactions on Communications*, article vol. 66, no. 12, pp. 6164-6175, 2018.
- [38] I. Shteplyuk, M. F. Santangelo, M. Vagin, I. G. Ivanov, V. Khranovskyy, T. Iakimov, J. Eriksson, and R. Yakimova, "Understanding Graphene Response to Neutral and Charged Lead Species: Theory and Experiment," *Materials*, article vol. 11, no. 10, 2018, Art. no. 2059.
- [39] I. I. Shteplyuk, M. Vagin, I. G. Ivanov, T. Iakimov, G. Yazdi, and R. Yakimova, "Lead (Pb) interfacing with epitaxial graphene," *Physical Chemistry, Chemical Physics - PCCP*, article vol. 20, no. 25, pp. 17105-17116, 2018.
- [40] R. Toll John, J. Henricson, J. Junker, C-O. Jonson, G. Nilsson, D. Björk Wilhelms, and C. D. Anderson, "A cool response : the influence of ambient temperature on capillary refill time," *Journal of Biophotonics*, article vol. 11, no. 6, 2018.
- [41] J. Wahlstrom, I. Skog, R. Larsson Nordstrom, and P. Handel, "Fusion of OBD and GNSS Measurements of Speed," *IEEE Transactions on Instrumentation and Measurement*, article vol. 67, no. 7, pp. 1659-1667, 2018.
- [42] T. Van Chien, E. Björnson, and E. G. Larsson, "Joint Pilot Design and Uplink Power Allocation in Multi-Cell Massive MIMO Systems," *IEEE Transactions on Wireless Communications*, article vol. 17, no. 3, pp. 2000-2015, 2018.
- [43] L. Van der Perre, L. Liu, and E. G. Larsson, "Efficient DSP and Circuit Architectures for Massive MIMO: State of the Art and Future Directions," *IEEE Transactions on Signal Processing*, article vol. 66, no. 18, pp. 4717-4736, 2018.

- [44] M. Yaqub, J. Walsh, F. Laffir, P. Olstoorn, L. Kailas, R. Forster, T. E. Keyes, M. Vagin, and T. McCormac "Polypyrrole entrapped 18-molybdodisulphate anion for the detection of hydrogen peroxide," *Electrochimica Acta*, article vol. 287, pp. 78-86, 2018.
- [45] K. Yousefi Mojir, S. Pilemalm, and T. Andersson Granberg, "Semi-professionals : emergency response as an additional task in current occupations," *International Journal of Emergency Services*, article 2018.
- [46] Mojir, K. Y., Pilemalm, S., Andersson Granberg, T. (2018) Semi-professionals: emergency response as an additional task in current occupations *International Journal of Emergency Services*, ISSN 2047-0894, E-ISSN 2047-0908
- [47] Y. Zhao, C. Fritsche, F. Yin, F. Gunnarsson, and F. Gustafsson, "Sequential Monte Carlo Methods and Theoretical Bounds for Proximity Report Based Indoor Positioning," *IEEE Transactions on Vehicular Technology*, article vol. 67, no. 6, pp. 5372-5386, 2018.
- [48] K. Öfjäll and M. Felsberg, "Approximative Coding Methods for Channel Representations," *Journal of Mathematical Imaging and Vision*, article vol. 60, no. 6, pp. 929-940, 2018.